







EOlife X[®] teaches about airway management and good ventilation regardless of the user's level of experience and the type of patient treated.

Airway management: a crucial part of CPR

- On average, 35 to 85% of the air leaks out before reaching the patient's lungs. 3
- 30% of patients regurgitate gastric contents when the jaw-thrust manoeuvre is not used correctly. ⁴
- The most common complication is failure to intubate. After two failed intubation attempts the patient is more likely to suffer serious complications and die. 5

EOlife X® gives feedback on leaks and its bar graph displays the volumes inhaled and exhaled in real time, teaching you how to:

- Position and seal the mask more effectively.
- Use the jaw-thrust manoeuvre correctly to avoid insufflation of air into the stomach.
- Intubate successfully.





Avoiding hyperventilation

Hyperventilation is feared by most carers when performing CPR as it causes:

- Lung damage and barotrauma.
- · Lung infections and pneumonia.
- Reduced blood flow to the heart and brain.

This affects the chances of survival by around 70%. 1

International studies have reported that hyperventilation occurs in 80% of CPR procedures. ⁶

EOlife X® uses algorithms based on ERC and AHA guidelines to help deliver the appropriate oxygen volume and follow the correct ventilation frequencies for every type of adult patient.

The visual feedback increases the quality of manual ventilation by 70% and reduces the risk of hyperventilation tenfold.²



Shock resistant

Shock resistant

Cuick start

Without

calibration

Shours of battery life (replaceable external battery)

IP44


EOLifeX

EOLifeX

Blind ventilation interface

EOlife X® can record and evaluate ventilation parameters during manual ventilation without providing feedback.







Latest data from the American Heart Association (AHA) shows that using a device providing real-time feedback increases the chances of survival by 20%. ⁷

FlowSense X[®] is a high-precision digital sensor. It can be easily replaced and does not require calibration.

Legal information

EOlife X® is designed for manual ventilation training on a manikin only.

EOlife X® is not intended for use on humans.

EOlife X[®] is not a medical device.

Part numbers of products and accessories

Part number	Description
A0000089	EOlife X One carton containing one EOlife X and one FlowSense X that may be reused only on a manikin. Comes with a carrying case, an external battery, charger and a start guide.

A version also exists for clinical use







- G. Ventilation feedback device for manual ventilation in simulated respiratory arrest: a crossover manikin study. Scand J Trauma Resusc Emerg Med. 2019 Oct 22;27(1):93
- 3. David Otten, Michael M Liao, Robert Wolken. Comparison of Bag-Valve-Mask Hand-Sealing Techniques in a Simulated Model.
- 4. Reed W Simons, Thomas D Rea, Linda J Becker, Mickey S Eisenberg. The incidence and
- Defining the learning curve for endotracheal intubation using direct laryngoscopy: A systematic review.
- 6. Khoury A, Sall FS, De Luca A, Pugin A, Pili-Floury S, Pazart L, Capellier G. Evaluation of Bag-Valve-Mask Ventilation in Manikin Studies: What Are the Current Limitations? Biomed Res Int. 2016; 2016: 4521767
- 7. RQI.Lardeal.com-services-and-programs/ resuscitation-quality-improvement



LIFE COMES FIRST

ARCHEON Medical archeon-medical.com

2 Chemin des Aiguillettes 25000 BESANCON, FRANCE

Tel: +33 (0)3 81 66 23 80 contact@archeon-medical.com

Authorized distributor for: FL, GA, SC, NC, VA, MD, DC, DE, NJ, Eastern PA, South Eastern portion of New York:

SOVEREIGN MEDICAL, INC

620H Valley Forge Road Hillsborough, NC 27278 (919) 644-1113 care@sovmed.com sovmed.com

